Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.



11/1/23

U. S. DEPARTMENT OF AGRICULTURE

Forest Service

Appalachian Forest Expeniment Station

Technical Note 25

June 25, 1937 Asheville N. C.

RELATION OF BYRAD HAZE METER SEADING TO SAFED VISIBILITY GISTANCE OF A SHALL SMOKE

(all distances in miles and te it's) METER SAFE METER. SAFE METER SAFE METER SAFE METER SAFE VISIBILITY READING VISIBILITY READING VISIBILITY READING VISIBILITY READING VISIRILITY READING DISTANCE DISTARCE DISTANCE DISTANCE DISTANCE В Α В В В Α 12,2 10.2 5.3 13.0 1.0 1.8 4.0 7.0 8.0 10.0 12.2 1.1 2.0 4.1 5.4 7.1 8.1 10.1 10.3 13.1 13.2 12.3 1.2 2.1 4.2 5.5 7.2 8.2 10.2 10.4 13.3 12.4 1.3 2.2 4.3 5.6 7.3 8.2 10.3 10.4 13.4 12.4 2.4 5.7 7.4 8.3 10.4 10.5 1.4 4.4 5.8 7.5 10.5 10.6 13.5 12.5 1.5 2.5 4.5 8.4 12.6 2.6 5.9 7.6 8.5 10.6 10.6 13.6 1.6 4.6 12.6 1.7 2.8 4.7 6.0 7.7 8.5 10.7 10.7 13.7 12.7 10.8 13.8 2.9 4.8 6.1 7.8 8.6 10.8 1.8 12.7 10.9 10.8 13.9 1.9 3.0 4.9 6.2 7.9 8.7 12.8 11.0 10.9 14.0 2.0 3.1 5.0 6.3 8.0 8.8 14.1 12.9 11.1 11.0 2.1 3.3 5.1 6.4 8.1 8.9 14.2 12.9 8.9 11.2 11.0 5.2 6.5 8.2 2.2 3.4 13.0 11.3 11.1 14.3 2.3 3.5 5.3 6.6 8.3 9.0 6.7 9.1 11.4 11.2 14.4 13.0 3.6 8.4 2.4 5.4 14.5 13.1 9.2 11.5 11.2 2.5 3.7 5.5 6.7 8.5 13.2 8.6 9.2 11.6 11.3 14.6 3.9 5.6 6.8 2.6 13.2 11.4 14.7 2.7 4.0 5.7 6.9 8.7 9.3 11.7 13.3 11.8 11.4 14.8 2.8 5.8 7.0 8.8 9.4 4.1 11.5 14.9 13.4 11.9 5.9 7.1 8.9 9.4 2.9 4.2 9.5 12.0 15.0 13.4 3.0 4.3 6.0 7.2 9.0 11.6 3.1 7.3 9.1 9.6 12.1 11.6 4.4 6.1 4.5 9.2 9.7 12.2 11.7 3.2 6.2 7.4 12.3 3.3 4.6 6.3 7.4 9.3 9.7 11.8 3.4 4.7 6.4 7.5 9.4 9.8 12.4 11.8 3.5 4.8 6.5 7.6 9.5 9.9 12.5 11.9 3.6 4.9 6.6 7.7 9.6 9.9 12.6 12.0 3.7 5.0 6.7 7.8 9.7 10.0 12.7 12.0 3.8 5.1 6.8 7.9 9.8 10.1 12.8 12.1 3.9 5.2 6.9 7.9 9.9 10.1 12.9 12.1

For general administrative purposes, readings given by the Byram haze meter should be slightly corrected before being regarded as the safe visibility distances of small smokes. The relation between the visual range of a small smoke (approximately equivalent to a 12x12 foot fire in hardwood leaves) and the corresponding haze meter readings is given in the above table. Haze meter readings from 1 to 15 miles are given in column A and the corresponding safe visibility distances of a small smoke in column B. It will be noticed that for meter readings from 8 to 13 miles, the correction factor is small and in regions where the visibility distance is usually between these limits, the correction factor may be ignored. However, where meter readings are often less than 8 miles or more than 13 miles, or where the maximum efficiency of the meter is desired, the corrected values should be used.

George M. Byram,

z*:** *** i . 1 1